



Overall length 6.137 mm

Technically permissible gross weight 1.300 kg

Total width 2.300 mm

Bed spaces for adults 4

Bed spaces for children 0

 Refrigerator

Technical data

| | 440 SF |
|---|-------------------------|
| Number of axles | 1 |
| Tyre size | 195 / 70 R 14 XL |
| Overall length | 6.137 mm |
| Body length | 4.960 mm |
| Overall width / internal width | 2.300 / 2.172 mm |
| Overall height / Interior headroom | 2.617 / 1.950 mm |
| Maximum technically permissible laden mass (MTPLM) | 1.300 kg |
| Mass in running order (MIRO) | 1.100 kg |
| Payload | 200 kg |
| Minimum pay load | 90 kg |
| Technically possible load uprated to | 1.500 kg |
| Payload after maximum load uprating | 388 kg |
| Technically possible load downrated to | 1.250 kg |
| Body wall thickness (floor / roof / wall) | 37 / 31 / 31 mm |
| Awning Size- A measurement | 8.730 mm |
| Number of berths (adult / child) | 4 |
| Bed size, double bed (length x width) | 2.080 x 1.290 mm |
| Bed size, after converting dinette seating (length x width) | 1.906 x 1.294 / 970 mm |
| 12v Battery system | Rear left |
| Roof-mounted air conditioning unit | Seating area / kitchen |
| TV bracket | Wardrobe / seating area |

| | |
|---|---------------------|
| Fresh water tank, city water connection, optional | Front left |
| External Gas Connection | Front right |
| External socket | Rear right |
| Sound system (loudspeaker-pair 1 / -pair 2 / radio) | Rear / front / rear |
| THETFORD Locker door with center lock, lockable | Front right |
| Number of 230-volt plug sockets (single / double) | 4 / 1 |

HobbyKomplett

Chassis/Safety

| |
|---|
| Stabiliser hitch WINTERHOFF WS 3000 |
| Overrun brake KNOTT ANS with automatic adjustment |
| Jockey wheel |
| A frame cover |
| One-key locking system |
| Integrated 3rd brake light |
| Rear Fog light |
| Wheel shock absorbers |
| Puncture repair Kit |
| Heavy-duty corner steadies |
| Load indicator on jockey wheel |
| Licensed for up to 100kph |

Load up-/downrating

| |
|------------------|
| Chassis 1.300 kg |
|------------------|

Rims

| |
|--------------------------------------|
| Steel rims, silver, with wheel trims |
|--------------------------------------|

Window

| |
|---|
| Hinged window, double-glazed and tinted |
| Front window with fully integrated pleated window blind and fly screen |
| Combi-cassette blinds with roller flyscreen for all windows (except washroom) |

Body

| |
|--|
| Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area |
| Rooflight, 400 x 400 mm, with fly screen in washroom |
| One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame |
| Entrance step |
| Integrated awning rail |
| Awning rail rain deflector, above front & rear windows |
| Wheel arches, thermally insulated |
| Wheel arch spat with integrated channel rail for draught skirt |
| LED awning light |
| Gas box |
| THETFORD Locker door with center lock, lockable |

Living area

Hook-on table

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

Furniture finish

Hamilton Maple light / Anthrazite

Upholstery combinations

Avus

Kitchen

DOMETIC Refrigerator, 96 litres, incl. 9-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen blind with built-in plug sockets and LED light

Cutlery drawer insert

Towel rail

Kitchen organiser rail

Sleeping area

Double bed

Sprung mattresses on single, double and island beds

Gas struts to assist lifting the bed frame, for double and island beds

Bathroom

Compact washroom with washbasin and toilet, design dependent on model

Cassette toilet THETFORD

Water / gas / electricity

Waste water tank, 24 litres, with wheels

Fresh water tank, 25 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

Lighting

Ambient lighting, design dependent on model

Swan neck lamps in seating area

Swan neck lamps in sleeping area

Heating / Air conditioning

Heating system TRUMA S-3004 with blown air (12volt fan)

TRUMA Therme 5 litre water heater

Barge board ventilation system for seating area, lockers and beds

Chassis/Safety

| | |
|---|---------|
| Spare wheel with holder instead of tyre repair set, underfloor mounting | 26,0 kg |
| Stabilisation system KNOTT ETS Plus | 5,7 kg |
| WINTERHOFF ?ROBSTOP? Hitchlock | 3,0 kg |

Load up-/downrating

| | |
|--|---------|
| Reduced load capacity to 1.250kg, without technical change | |
| Increased load capacity to 1.350 kg, without technical change | |
| Increased load capacity to 1.500 kg, single axle units up to Model 560 | 11,7 kg |

Rims

| | |
|--|--|
| Alloy rims, silver, up to Model 560 | |
| Alloy rims, black, polished, up to Model 560 | |

Body

| | |
|---|---------|
| Roof mounted awning THULE OMNISTOR 6200, length 300 cm, pull-out depth 250 cm | 26,0 kg |
| A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg | 10,0 kg |
| Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg | 7,5 kg |

Living area

| | |
|-----------------------------|---------|
| Rmovable habitation carpets | 10,0 kg |
|-----------------------------|---------|

Upholstery combinations

| |
|----------|
| Taiga |
| Patch |
| Jawa |
| Kentucky |
| Vermont |
| Torino |
| Capri |

Kitchen

| | |
|--|---------|
| Oven THETFORD with electric ignition and interior light, 36 litres | 15,0 kg |
| Extractor hood DOMETIC incl. Hobby 10-stage speed control | 3,0 kg |
| DOMETIC 20 litre Microwave | 12,0 kg |

Sleeping area

| | |
|--|--------|
| Bed extension for seating area | 1,0 kg |
| Cold-foam mattress, 7-zones and slatted bed base for double bed and island bed | 2,9 kg |
| Bedspread | 1,5 kg |

Water / gas / electricity

| | |
|--|---------|
| Fresh water tank, 50 litres | 28,0 kg |
| TFT control panel for lighting system and tank, incl. CI-BUS | 0,1 kg |
| External socket, incl. 230-volt output, satellite & TV connection | 0,4 kg |
| 7 / 13-Pin adapter for tow vehicle electrics | 0,3 kg |
| City water connection (fixed water connection) | 0,5 kg |
| External Gas Connection | 1,5 kg |
| TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed) | 15,0 kg |
| 12v Battery system incl. battery charger with booster, battery, battery sensor and battery case | 29,0 kg |

| | |
|---|---------|
| Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply) | 2,8 kg |
| Hobby-Connect, remote control for on-board technology using app | 0,6 kg |
| Wireless remote control for the lighting system with one handset | 0,3 kg |
| Smoke detector | 0,2 kg |
| Dual USB charger socket | |
| Heating / Air conditioning | |
| Heating system TRUMA VarioHeat Comfort, 3,7 kw | 1,2 kg |
| TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS | 2,0 kg |
| Underfloor heating up to Model 540 | 4,0 kg |
| Heating system TRUMA ISOTHERM up to 540 | 3,0 kg |
| Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW | 32,0 kg |
| Pre wired for roof-mounted air conditioning unit | 1,5 kg |
| Multimedia | |
| Articulated TV bracket incl. required connections, without video cables (Cinch) | 2,0 kg |
| Sattelite system KATHREIN CAP 650 inc. TWIN-LNB | 15,0 kg |
| Aerial TV mast TELECO | 0,9 kg |
| Soundsystem BLAUPUNKT with DAB+ | 12,5 kg |