



Overall length 6.885 mm

Technically permissible gross weight 1.400 kg

Total width 2.300 mm

Bed spaces for adults 3

Bed spaces for children 2



?Super Slim Tower? refrigerator

### Technical data

	490 KMF
Number of axles	1
Tyre size	185 R 14 C
Overall length	6.885 mm
Body length	5.693 mm
Overall width / internal width	2.300 / 2.172 mm
Overall height / Interior headroom	2.623 / 1.950 mm
Maximum technically permissible laden mass (MTPLM)	1.400 kg
Mass in running order (MIRO)	1.258 kg
Payload	142 kg
Minimum pay load	107 kg
Technically possible load uprated to	1.750 kg
Payload after maximum load uprating	463 kg
Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm
Awning Size- A measurement	9.470 mm
Number of berths (adult / child)	3 / 2
Bed size, double bed (length x width)	2.080 x 1.290 mm
Bed size, children's beds (length x width)	2.000 x 730; 2.000 x 700 mm
Bed size, after converting dinette seating (length x width)	1.851 x 970 mm
12v Battery system	Front centre
Roof-mounted air conditioning unit	Seating area
TV bracket	Wardrobe / bed
Fresh water tank, city water connection, optional	Front left

External Gas Connection	Centre right
External socket	Centre right
Sound system (loudspeaker-pair 1 / -pair 2 / radio)	Centre / front / front
THETFORD Locker door with center lock, lockable	Front right
Number of 230-volt plug sockets (single / double)	4 / 1

## HobbyKomplett

### Chassis/Safety

Stabiliser hitch WINTERHOFF WS 3000

Overrun brake KNOTT ANS with automatic adjustment

Jockey wheel

A frame cover

One-key locking system

Integrated 3rd brake light

Rear Fog light

Wheel shock absorbers

Puncture repair Kit

Heavy-duty corner steadies

Load indicator on jockey wheel

Licensed for up to 100kph

### Load up-/downrating

Chassis 1.400 kg

### Rims

Steel rims, silver, with wheel trims

### Window

Hinged window, double-glazed and tinted

Front window with fully integrated pleated window blind and fly screen

Combi-cassette blinds with roller flyscreen for all windows (except washroom)

### Body

Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area

Rooflight, 400 x 400 mm, with fly screen in washroom

One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame

Grab handle

Entrance step

Integrated awning rail

Awning rail rain deflector, above front & rear windows

Wheel arches, thermally insulated

Wheel arch spat with integrated channel rail for draught skirt

LED awning light

Gas box

THETFORD Locker door with center lock, lockable

### Living area

Hook-on table

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

#### **Furniture finish**

Hamilton Maple light / Anthrazite

#### **Upholstery combinations**

Avus

#### **Kitchen**

Dometic Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen blind with built-in plug sockets and LED light

Cutlery drawer insert

Towel rail

#### **Sleeping area**

Double bed

2 Children's bunk beds, with guard and ladder

Bottom bunk bed lifts to create a colouring board on underside

Sprung mattresses on single, double and island beds

Gas struts to assist lifting the bed frame, for double and island beds

#### **Bathroom**

Compact washroom with washbasin and toilet, design dependent on model

Cassette toilet THETFORD

#### **Water / gas / electricity**

Waste water tank, 24 litres, with wheels

Fresh water tank, 25 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

#### **Lighting**

Ambient lighting, design dependent on model

Swan neck lamps in seating area

Swan neck lamps in sleeping area

#### **Heating / Air conditioning**

Heating system TRUMA S-3004 with blown air (12volt fan)

TRUMA Therme 5 litre water heater

<b>Chassis/Safety</b>	
Spare wheel with holder instead of tyre repair set, underfloor mounting	26,0 kg
Stabilisation system KNOTT ETS Plus	5,7 kg
WINTERHOFF ?ROBSTOP? Hitchlock	3,0 kg
<b>Load up-/downrating</b>	
Increased load capacity to 1.500 kg, without technical change	
Increased load capacity to 1.600 kg, single axel units up to Model 560	
Increased load capacity to 1.500 kg, single axle units up to Model 560	29,0 kg
<b>Rims</b>	
Alloy rims, silver, up to Model 560	
Alloy rims, black, polished, up to Model 560	
<b>Body</b>	
Roof mounted awning THULE OMNISTOR 6200, length 350 cm, pull-out depth 250 cm	30,0 kg
A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg	10,0 kg
Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg	7,5 kg
Garage under bunk bed (not in conjunction with hot water heater ALDE, colouring board under children?s bed removed)	5,0 kg
<b>Living area</b>	
Fixed table with single leg	8,0 kg
Romovable habitation carpets	10,0 kg
<b>Upholstery combinations</b>	
Taiga	
Patch	
Jawa	
Kentucky	
Vermont	
Torino	
Capri	
<b>Kitchen</b>	
Oven THETFORD with electric ignition and interior light, 36 litres	15,0 kg
Extractor hood DOMETIC incl. Hobby 10-stage speed control	3,0 kg
DOMETIC 20 litre Microwave	12,0 kg
<b>Sleeping area</b>	
Cold-foam mattress, 7-zones and slatted bed base for double bed and island bed	2,9 kg
3 Children?s bunk beds, with guard and ladder	15,0 kg
Bedspread	1,5 kg
<b>Water / gas / electricity</b>	
Fresh water tank, 50 litres	28,0 kg
TFT control panel for lighting system and tank, incl. CI-BUS	0,1 kg
External socket, incl. 230-volt output, satellite & TV connection	0,4 kg

7 / 13-Pin adapter for tow vehicle electrics	0,3 kg
City water connection (fixed water connection)	0,5 kg
External Gas Connection	1,5 kg
TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed)	15,0 kg
12v Battery system incl. battery charger with booster, battery, battery sensor and battery case	29,0 kg
Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply)	2,8 kg
Hobby-Connect, remote control for on-board technology using app	0,6 kg
Wireless remote control for the lighting system with one handset	0,3 kg
Smoke detector	0,2 kg
Dual USB charger socket and LED children?s bed lights incl. USB charger socket	0,1 kg
<b>Heating / Air conditioning</b>	
Heating system TRUMA VarioHeat Comfort, 3,7 kw	1,2 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS	2,0 kg
Underfloor heating up to Model 540	4,0 kg
Heating system TRUMA ISOTHERM up to 540	3,0 kg
ALDE COMPACT 3020 HE- Wet heating and hot water system- incl. CI-BUS	41,5 kg
Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW	32,0 kg
Pre wired for roof-mounted air conditioning unit	1,5 kg
<b>Multimedia</b>	
Articulated TV bracket incl. required connections, without video cables (Cinch)	2,0 kg
Sattelite system KATHREIN CAP 650 inc. TWIN-LNB	15,0 kg
Aerial TV mast TELECO	0,9 kg
Soundsystem BLAUPUNKT with DAB+	12,5 kg