


Overall length 8.375 mm

Technically permissible gross weight 1.900 kg

Total width 2.500 mm

Bed spaces for adults 4

Bed spaces for children 2

 ?Super Slim Tower? refrigerator

 Tandem axle

Technical data

| | |
|---|-----------------------------|
| | 650 KFU |
| Number of axles | 2 |
| Tyre size | 155 / 80 R 13 XL |
| Overall length | 8.375 mm |
| Body length | 7.206 mm |
| Overall width / internal width | 2.500 / 2.367 mm |
| Overall height / Interior headroom | 2.593 / 1.950 mm |
| Maximum technically permissible laden mass (MTPLM) | 1.900 kg |
| Mass in running order (MIRO) | 1.676 kg |
| Payload | 224 kg |
| Minimum pay load | 132 kg |
| Technically possible load uprated to | 2.200 kg |
| Payload after maximum load uprating | 520 kg |
| Body wall thickness (floor / roof / wall) | 39 / 31 / 31 mm |
| Awning Size- A measurement | 10.920 mm |
| Number of berths (adult / child) | 4 / 2 |
| Bed size, double bed (length x width) | 1.995 x 1.395 / 1.159 mm |
| Bed size, children?s beds (length x width) | 1.890 x 740; 1.850 x 710 mm |
| Bed size, after converting dinette seating (length x width) | 2.233 x 1.534 / 1.298 mm |
| 12v Battery system | Front left |
| Roof-mounted air conditioning unit | Kitchen |

| | |
|---|------------------------|
| TV bracket | Sideboard |
| Fresh water tank, city water connection, optional | Front right |
| External Gas Connection | Rear right |
| External socket | Centre right |
| Sound system (loudspeaker-pair 1 / -pair 2 / radio) | Centre / front / front |
| THETFORD Locker door with center lock, lockable | Centre right |
| Number of 230-volt plug sockets (single / double) | 5 / 2 |

HobbyKomplett

Chassis/Safety

Stabiliser hitch WINTERHOFF WS 3000

Overrun brake KNOTT ANS with automatic adjustment

Jockey wheel

A frame cover

One-key locking system

Integrated 3rd brake light

Rear Fog light

Wheel shock absorbers

Heavy-duty corner steadies

Licensed for up to 100kph

Load up-/downrating

Chassis 1.900 kg

Rims

Steel rims, silver, with wheel trims

Window

Hinged window, double-glazed and tinted

Panoramic front window with fully integrated pleated blind and fly screen

Combi-cassette blinds with roller flyscreen for all windows (except washroom)

Body

Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area

Rooflight DOMETIC-SEITZ Mini-Heki 400 x 400 mm with pleated blind and flyscreen in sleeping area

Rooflight, 400 x 400 mm, with fly screen in washroom

One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame

Grab handle

Entrance step

Integrated awning rail

Awning rail rain deflector, above front & rear windows

Wheel arches, thermally insulated

Wheel arch spat with integrated channel rail for draught skirt

LED awning light

Gas box

THETFORD Locker door with center lock, lockable

Living area

Metal lift table leg

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

TV unit with illuminated cabinet incl. a set of exclusive Hobby glasses (depending on model)

Furniture finish

Chesterfield Oak / Magnolia

Upholstery combinations

Jawa

Kitchen

Dometic Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Spice racks in kitchen wall unit

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen splashback with fully integrated blind and fly screen, LED kitchen light, 230-volt plug sockets, storage shelves and USB charging socket

Cutlery drawer insert

Towel rail

Sleeping area

Double bed

2 Children's bunk beds, with guard and ladder

Bottom bunk bed lifts to create a colouring board on underside

Sprung mattresses on single, double and island beds

Gas struts to assist lifting the bed frame, for double and island beds

Bathroom

Compact washroom with washbasin and toilet, design dependent on model

Cassette toilet THETFORD

Water / gas / electricity

Waste water tank, 24 litres, with wheels

Fresh water tank, 50 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

External socket, incl. 230-volt output, satellite & TV connection

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

Lighting

Ambient lighting, design dependent on model

Swan neck lamps in seating area
Swan neck lamps in sleeping area
Swan neck lamps in children's seating area

Heating / Air conditioning

Heating system TRUMA S-5004 with with blown air (12 volt fan)
TRUMA Therme 5 litre water heater
Barge board ventilation system for seating area, lockers and beds

Chassis/Safety

| | |
|--|---------|
| Spare wheel with holder, underfloor mounting | 28,2 kg |
| Load indicator on jockey wheel | 0,6 kg |
| Stabilisation system KNOTT ETS Plus | 5,7 kg |
| WINTERHOFF ?ROBSTOP? Hitchlock | 3,0 kg |

Load up-/downrating

| | |
|---|--------|
| Increased load capacity to 2.000 kg, twin axle units from Model 620 | 4,0 kg |
| Increased load capacity to 2.200 kg, twin axle units from Model 620 | 4,3 kg |

Rims

Alloy rims, silver, from Model 620
Alloy rims, black, polished, from Model 620

Body

| | |
|---|---------|
| Rear lights with sweeping indicators | 1,0 kg |
| Roof mounted awning THULE OMNISTOR 6200, length 450 cm, pull-out depth 250 cm | 35,0 kg |
| A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg | 10,0 kg |
| Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg | 7,5 kg |

Living area

| | |
|------------------------------|---------|
| Fixed table with single leg | 8,0 kg |
| Removable habitation carpets | 10,0 kg |

Upholstery combinations

Taiga
Patch
Avus
Kentucky
Vermont
Torino
Capri

Kitchen

| | |
|---|---------|
| Combined hob / oven incl. Grill THETFORD | 29,8 kg |
| Extractor hood DOMETIC incl. Hobby 10-stage speed control | 3,0 kg |
| DOMETIC 20 litre Microwave | 12,0 kg |

Sleeping area

| | |
|--|---------|
| Cold-foam mattress, 7-zones and slatted bed base for double bed and island bed | 2,9 kg |
| 3 Children's bunk beds, with guard and ladder | 15,0 kg |
| Bedspread | 1,5 kg |

Water / gas / electricity

| | |
|---|---------|
| TFT control panel for lighting system and tank, incl. CI-BUS | 0,1 kg |
| 7 / 13-Pin adapter for tow vehicle electrics | 0,3 kg |
| City water connection (fixed water connection) | 0,5 kg |
| External Gas Connection | 1,5 kg |
| TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed) | 15,0 kg |
| 12v Battery system incl. battery charger with booster, battery, battery sensor and battery case | 29,0 kg |
| Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply) | 2,8 kg |
| Hobby-Connect, remote control for on-board technology using app | 0,6 kg |
| Wireless remote control for the lighting system with one handset | 0,3 kg |
| Smoke detector | 0,2 kg |
| Dual USB charger socket and LED children?s bed lights incl. USB charger socket | 0,1 kg |
| Heating / Air conditioning | |
| Heating system Truma Combi 6 (Gas only), instead of S heater | 3,7 kg |
| Heating system TRUMA Combi 6 E, instead of S heater | 4,8 kg |
| TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS | 2,0 kg |
| Underfloor heating from Model 545 | 6,0 kg |
| Heating system TRUMA ISOTHERM from model 545 | 3,0 kg |
| ALDE COMPACT 3020 HE- Wet heating and hot water system- incl. CI-BUS | 41,5 kg |
| Water filled Underfloor heating system in conjunction with ALDE system | 35,0 kg |
| Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW | 32,0 kg |
| Pre wired for roof-mounted air conditioning unit | 1,5 kg |
| Multimedia | |
| Articulated TV bracket incl. required connections, without video cables (Cinch) | 2,0 kg |
| Sattelite system KATHREIN CAP 650 inc. TWIN-LNB | 15,0 kg |
| Aerial TV mast TELECO | 0,9 kg |
| Soundsystem BLAUPUNKT with DAB+ | 12,5 kg |